EFFECTS OF DIESEL EXHAUST PARTICLES ON *in vitro* BACTERIA BIOFILMS GROWTH AND EVALUATION OF ANTI-BIOFILM/ANTIMICROBIAL POTENTIAL OF A FEW SELECTED PLANT EXTRACT

A DISSERTATION SUBMITTED IN PARTIAL FULFILMENT OF THE REQUIREMENTS FOR THE DEGREE OF MASTER OF PHILOSOPHY IN BIOTECHNOLOGY BY

RUTH ZOMUANSANGI MZU Regn. No.: 1900192 M.Phil. Regn. No.: MZU/M.Phil. /628 of12.06.2020



DEPARTMENT OF BIOTECHNOLOGY SCHOOL OF LIFE SCIENCE

DECEMBER 2021

EFFECTS OF DIESEL EXHAUST PARTICLES ON *in vitro* BACTERIA BIOFILMS GROWTH AND EVALUATION OF ANTI-BIOFILM/ANTIMICROBIAL POTENTIAL OF A FEW SELECTED PLANT EXTRACT

By

RUTH ZOMUANSANGI DEPARTMENT OF BIOTECHNOLOGY

UNDER THE SUPERVISION OF DR. H. LALHRUAITLUANGA Assistant Professor, Department of Biotechnology Mizoram University

AND CO-SUPERVISION OF DR. MUKESH KUMAR YADAV Assistant Professor, Department of Biotechnology Pachhunga University College

Submitted In partial fulfilment of the requirements for the Degree of Master of Philosophy in Biotechnology



Department of Biotechnology School of Life Sciences MIZORAM UNIVERSITY (A Central University)



H. Lalhruaitluanga Ph.D Assistant Professor

CERTIFICATE

This is to certify that the dissertation entitled "Effects of diesel exhaust particles on *in vitro* bacteria biofilms growth and evaluation of anti-biofilm/antimicrobial potential of a few selected plant extracts" submitted to the Mizoram University for the award of Master of Philosophy in Biotechnology by Ruth Zomuansangi Registration no. MZU/M.Phil. /628 of12.06.2020, a Research scholar in the Department of Biotechnology, is a record of research work carried out by her during the period from 2019 to 2021 of study, under my guidance and supervision, and that this work has not formed the basis for the award of any degree, diploma or other similar titles in this University or any other University or institution of higher learning.

It is further certified that the scholar fulfilled all the requirements as laid down by the University for submission of the M. Phil. dissertation.

(Dr. H. LALHRUAITLUANGA) Supervisor (Dr. MUKESH KUMAR YADAV) Co-Supervisor

Date: Place:

DECLARATION OF THE CANDIDATE

Mizoram University August 2021

I Ruth Zomuansangi, hereby declare that the subject matter of this dissertation is the record of work done by me, that the contents of this dissertation did not form the basis of the award of any previous degree to me or to do the best of my knowledge to anybody else, and that the thesis has not been submitted by me for any research degree in any other University/ Institute. This is being submitted to Mizoram University for the degree of Master of Philosophy in Biotechnology.

Ruth Zomuansangi

(Candidate)

Dr. Thangjam Robert Singh

Dr. H. Lalhruaitluanga

(Head of the Department of Biotechnology)

(Supervisor)

ACKNOWLEDGEMENT

First and foremost, I would like to give thanks to **our Lord God** for His unending blessings and to my **family** for always being my backbone in each step of my life.

And I would like to express my sincere gratitude to my supervisor **Dr. H. Lalhruaitluanga** and Co-supervisor **Dr. Mukesh Kumar Yadav** for their valuable guidance throughout my research work without whose constructive feedback this would not have been a success.

I would like to thank **Dr. Thangjam Robert Singh**, Head of Department, **Prof. Senthil** Sir, and **Dr. Esther** for their cooperation and for extending all required facilities to complete my research work.

And a special thanks to **Dr. Bhim Pratab Singh** which I know deep in my bones that I would not be where I am now if it's not for him, and a sincere thanks to all my labmates and friends **Dr. Gajanan, Dr. Zothana, Mr. Yogesh, Mr. Purbha, Mr. William, Miss Kimi, Miss Lawmi** and **Miss Farzana** for helping and supporting me mentally and physically throughout my research work.

CONTENT

Page	N	0.	•
------	---	----	---

		Certificate	i
Declaration		ii	
		Acknowledgment iii	
		List of figures	vi
Chapter 1		INTRODUCTION	10
Chapter 2		REVIEW OF LITERATURE	12
Chapter 3		MATERIALS AND METHODS	18
	3.1	Bacteria Strain and Culture Medium	18
	3.2	Plant Extract Preparation	18
	3.3	In vitro evaluation of diesel exhaust particles on	
		bacteria planktonic growth	18
	3.4	In vitro evaluation of diesel exhaust particles on	
		bacteria biofilm growth	19
	3.5	In vitro evaluation of metal ion constitutes of diesel	
		exhaust particles on bacteria planktonic growth	19
	3.6	In vitro evaluation of metal ion constitutes of diesel	
		exhaust particles on bacteria biofilm growth	20
	3.7	Minimum Inhibitory concentration (MIC)	
		detection and antimicrobial activity of	
		Tithonia diversifolia plant extract	20
	3.8	Evaluation of the antimicrobial potential of	
		Tithonia diversifolia plant extract in bacteria	
		planktonic growth	21
	3.9	Evaluation of the antibiofilm potential of	
		Tithonia diversifolia plant extract in bacteria	
		biofilm growth	21
	3.10	Evaluation of antibiofilm/antimicrobial mechanism	
		of Tithonia diversifolia plant extract by crystal	

		violet absorption assay	21
Chapter 4		RESULTS	23
	4.1	Diesel exhaust particles exposure elevated the planktonic	
		growth of the bacteria	23
	4.2	DEP exposure elevated S. pneumoniae in vitro biofilm	
		growth	24
	4.3	DEP exposure elevated bacteria planktonic growth in	
		metal ion free medium	25
	4.4	DEP exposure elevated bacteria in vitro biofilm growth	
		in metal ion free medium	26
	4.5	Minimum Inhibitory concentration (MIC) detection	
		and antimicrobial activity of Tithonia diversifolia plant	
		extract	27
	4.6	Tithonia diversifolia plant extract shows the antimicrobial	
		potential against bacteria planktonic growth	28
	4.7	Tithonia diversifolia plant extract inhibits Streptococcus	
		pneumoniae in vitro biofilms and eradicates	
		pre-established biofilms	29
	4.8	Tithonia diversifolia plant affects pneumococcal cell	31
Chapter 5		DISCUSSION	33
		CONCLUSIONS	35
		ABBREVIATIONS	36
		REFERENCES	37
		PARTICULAR OF CANDIDATE	46
		BIO-DATA	47

LIST OF FIGURES

Figure No.	Description of fig	gures	Page No.
Figure 1 In vitro evaluation of	diesel exhaust particles on b	acteria planktonic growth	24
Figure 2 In vitro evaluation of	diesel exhaust particles on b	acteria biofilm growth	25
Figure 3 In vitro evaluation of	diesel exhaust particles on b	acteria planktonic growth in r	metal ion free medium 26
Figure 4 In vitro evaluation of	diesel exhaust particles on b	acteria biofilm growth in met	al ion free medium _27
Figure 5 Minimum Inhibitory of plant extract			
Figure 6 Evaluation of the ant growth			
Figure 7 Evaluation of the ant		diversifolia plant extract in b	
Figure 8 (i) CFU Count (ii) Diffe count			
Figure 9 Evaluation of antibio			t extract by crystal 32

CHAPTER 1

1. INTRODUCTION

The Diesel Exhaust Particles (DEP) is an imperative anthropogenic pollutant and is produced from the incomplete combustion of diesel fuels due to the increase in the number of dieselfuelled transportation (Steiner et al.2016; Lawal 2018). The International Agency for Research on Cancer (IARC) in 2012 has grouped DEP as carcinogen group 1 based on the epidemiology study and is referred to be mutagenic and carcinogen to humans by the WHO (World Health Organization) in 2010 (Steiner et al.2016). The inhalation with PM2.5 emission faction and exposure to DEP is a risk factor for respiratory diseases, pulmonary diseases, otitis media, and cardiovascular diseases it as well increases the inflammation of the airway and reduces the lung function potential (Yang et al.2018; Shears et al.2019). The infection due to the DEP also depends on the duration of the exposure and the size of the particles inhaled, the finer the particles the more hazardous it gets (Lawal 2018). World-wide the vehicle emissions and pollution by the industrial are progressively known to be the major cause of air pollution that exerts adverse effects on human health (Landrigan et al., 2018). DEPs are a particulate component of diesel exhaust that includes sulfates, metal abrasion particles, silicates, ash particles, aerosols, and diesel soot (Steiner et al., 2016). The DEPs are respirable particles with a size range in diameter from 0.02 to 0.2 µm (Chen et al., 2018). DEP can adsorb many organic compounds on their surface including mutagenic and carcinogenic polycyclic aromatic hydrocarbons. DEP is respirable particles and during gas exchange deposits in the larynx, pharynx, distal lungs, nasopharynx, etc. (Shears et al., 2019).

Various studies in past suggest that DEP exposure increases microbial infections and aggravates respiratory infections (Chandel et al., 2018). In precise, there are strong signs to propose that DEPs exposure is linked to cardiovascular disease as well as respiratory disease (Attiq et al., 2018). Inhalation of DEP has been reported to reduce lung function, impair clearance of respiratory pathogens, and increase lung inflammation. The human nasopharynx microflora occupies in nasopharynx just after birth, and along with commensal bacteria forms a specialized structure called biofilm (Chen et al., 2018). The respiratory bacteria and DEP interact in the nasopharynx and previous studies suggest that respiratory bacteria such as *Streptococci, Staphylococci, H. influenza* forms biofilms (Kadioglu et al., 2008). *Streptococcus pneumoniae* (*S. pneumoniae*), is a gram-positive bacterium colonized asymptomatically in the human nasopharynx by 40% in healthy children and 20% in healthy adults. However, in the elderly and infants, *S. pneumoniae* can distribute to the sterile site causing invasive opportunistic diseases leading to cause pneumonia, otitis media, meningitis, and septicemia (Gilley and Orihuela 2014; Sanchez et al.2011). The duration of the colonization of the *S.*

pneumoniae in the nasopharynx also decreases in number with age and varies from 2 weeks to 17 weeks. Although the colonization of the S. pneumoniae is asymptomatic it gets pathogenic as the bacteria invade other parts of the body such as the lungs, brain, and blood (Loughran et al.2019). It is quite not well known of the conditions that allow the bacterium to progress from a harmless organism to a potentially life-threatening pathogen; however, it is understood that exposure to a high level of pollutant is a known risk factor for the IPD (invasive pneumococcal disease). Some studies reported that respiratory tract infection risk increases by bacteria biofilms established in the nasopharynx, and these biofilms act as a reservoir of bacteria. Moreover, the effect of pollutants such as DEP is not well understood. Whether the presence of DEP increases bacteria biofilms and provides a surface for biofilm growth. Recent studies reported that urban particles and Asian sand dust (ASD) particles exposure increase Streptococcus pneumoniae in vitro biofilms and in vivo colonization and decrease human defense (Yadav et al., 2020 a; Yadav et al., 2020b). The bacteria biofilms are tolerant to antibiotics and the emergence of antibiotic-resistant bacteria further complicates the disease management. Therefore, to manage respiratory infection there is a need for unique bioactive compounds with antimicrobial/antibiofilm and anti-inflammatory/antioxidant activities. Mizoram, northeast India, near the Indo-Burma border (22° 40' N; 93 ° 0 3' E) is one of the hot diversity zone habitats of many medicinal plants traditionally used by local people as medicine. Medicinal plants with bioactive compounds such as (stilbenes) are a potential source of antibiofilm/antimicrobial and antioxidant & COX-2 inhibitory compounds that could be explored to control bacterial infection and PM toxicity (Vestergaard et al., 2019).

Tithonia diversifolia is one of the utmost significant medicinal plants of the Asteraceae family which is widely in use in the Ayurvedic and Unani systems. The plant parts such as its roots, shoots, leaves are used in various diseases. It is also known as the Mexican sunflower, a shrub-like perennial (Ajao & Moteetee, 2017). The research of *T. diversifolia* by Pharmacological indicates its many active constituents like antimicrobial, anti-inflammatory (Owoyele et al., 2003, D.A. Chagas-Paula et al. 2011) anti-fungal, anti-malarial (Goffin et al., 2001, Madureira, 2002), and cancer chemopreventive activities (Bork PM et., al 1996).

The previous studies reported that medicinal plants such as stilbenes possess dual activities, such as antibiofilm/antimicrobial potential along with antioxidant & anti-inflammatory activity (Vestergaard et al., 2019; Yadav et al., 2019).

Particulate matter such as DEP and *S. pneumoniae* are some of the risk factors for respiratory infection, and how DEP exposure affects pneumococcal colonization/biofilms in the nasopharynx is not well known and studied. So, in the study, we elucidated the effect of

DEP on *pneumococci in vitro* growth of biofilms and evaluated the effects of *Tithonia diversifolia* plant extract to control *S. pneumoniae* growth in planktonic and in biofilms.

CHAPTER 2

2. **REVIEW OF LITERATURE**

India is severely affected by air pollution, and among the 30 most polluted cities worldwide 22 cities are in India (Yadav et al., 2017). Air pollutants such as DEP settles in the larynx, nose, pharynx, bronchi, trachea, and distal lung and increase microbial infection of the respiratory tract. Although, some researchers separated study the toxicity of particulate matters and bacteria (Ganesh et al., 2019; Yadav et al., 2017; Boovarahan et al, 2018). Studies suggested that in India the incidences of pneumonia are higher, and account for more deaths (three times in comparison to other countries) among children under age 5 than any other infectious disease, and the elevated incidences of pneumonia are attributed to household smoke exposure (Arlington et al., 2019). However, in India, no study was reported to study the effects and interaction of air pollutants on respiratory bacteria colonization /biofilms in the nasopharynx. The air-pollutant containing particulate matters such as DEP, urban particles, Asian sand dust particles, etc. are a major risk factor for respiratory tract infections (Park et al., 2006). A recent study reported that indoor air pollution exposure may be one of the factors to cause nasopharyngeal carriage of bacterial species and a major risk factor for respiratory tract infection. Further study showed that exposures to such pollutants are associated with an increased prevalence of specific nasopharyngeal bacteria during babyhood (Vanker et al., 2019). A similar study reported that solid fuel exposure is associated with childhood pneumonia (Adaji et al., 2019). Enhanced biofilm formation of Streptococcus Gordonii (Huang et al., 2014), Staphylococcus aureus (Kulkarni et al., 2012), Pseudomonas aeruginosa (Antunes et al., 2012) and Candida albicans (Semlali et al., 2014) has been detected in presence of cigarette smoke. It has been suggested that smoke alters gene expressions of bacteria and induces biofilm-related gene expression that elevates biofilms. In addition, *Staphylococcus aureus* adhesion to epithelial cells and reduced exposures to macrophages has been detected following cigarette smoke exposure (Kulkarni et al., 2012; McEachern et al., 2015). Woo et al., (2018) investigated the effect of different concentrations of fine particulate matter on biofilms and colonization to respiratory epithelial cells. The results of their study showed that fine particulate matters alter the hydrophobicity of bacteria surface and elevated bacteria in vitro biofilms formation and colonization to the human cell line (Woo et al., 2018). Hussey et al., (2017), studied the effects of black carbon on the in vitro and in vivo biofilm formation of Staphylococcus aureus and Streptococcus pneumoniae. The results of their study showed that exposure to black carbon stimulates structural, functional, and compositional in the biofilms of both Streptococcus pneumoniae and Staphylococcus aureus Hussey et al., (2017). In addition,

biofilms antibiotic tolerance were significantly affected and the bacteria colonization to the nasopharynx was increased and spread to the lungs in occurrence of black carbon particles (Hussey et al., (2017). Similarly, Mushtaq et al., (2011) detected increased *Streptococcus pneumoniae* adhesion in the human airway epithelial cells in the presence of urban particles and particulate matters stimulated adhesion was interceded by oxidative stress and PAFR. (Mushtaq et al., 2011). ASD exposure increase *TNF-* α , *MUC5AC*, *COX-2*, and *MUC5B* mRNA expression in middle ear epithelium cells and induces apoptosis- and oxidative stress-related gene expressions (Chang et al., 2015). A recent study shows that *in vitro* biofilms of *Streptococcus pneumoniae*, and establishment to Human middle ear epithelium cells (HMEEC), and *in vivo* colonization in middle ears mucosa of rats were amplified in presence of ASD particles (Yadav et al., 2020).

The natural Phyto-compounds a very good source of anti-biofilm/antimicrobial. Stilbenes family of Vitis vinifera (Parage et al.2012), plants containing active compounds such as resveratrol (Stilbene monomer) present in various families of plants including grapevines (Vitis), Vitaceae, and Care possess antioxidant and antimicrobial activities (Shimizu et al., 2000). ɛ-viniferin (dimeric resveratrol) including grapevines (Vitis), Vitaceae, and Carex, shows hepato-protective, P450 inhibitory antioxidants, and antimicrobial activities (Fiorentino et al., 2008). Furthermore, resveratrol alters the expression of virulence traits of the bacteria leading to inhibition of biofilm formation, reduced toxin production, interference with quorum sensing, and reduced motility (Vestergaard et al., 2019). The evolving research over the past few years purposed that quorum sensing regulates bacterial pathogenesis and biofilms formation by sporulation, controlling competence development, virulence induction, antibiotic synthesis, nutrient flux, and cell differentiation, along with other physiological events in pathogenic bacterial infections (Omwenga et al.,2017). Similarly, the anti-biofilm activities ε-viniferin and its derivatives have been reported contrary to Gram-negative bacteria such as Escherichia (Cho et al., 2013). Recently, our group study (Yadav et al., 2019) elucidated the anti-biofilm activity of natural and synthetic *ɛ*-viniferin and their derivatives against Streptococcus pneumoniae biofilms (Yadav et al., 2019). A previous study showed the antibiofilm potential of phytocompound eugenol and eugenia caryophyllata extract contrary to methicillinresistant and sensitive Staphylococcus aureus clinical strain biofilms and Streptococcus pneumoniae (Yadav et al., 2015; Yadav et al., 2012). Many organic compounds such as coumarins, alkaloids, flavonoids, cinnamates, stilbenes, and xanthine possess the COX-2 inhibitory activity that involves inflammation (Chandel et al., 2018; Attiq et al., 2018). Rubus ulmifolius kill planktonic pneumococcal cells and disrupt pneumococcal biofilms (Talekar et al.,2014). Mizoram, northeast India, near the Indo-Burma border (22° 40' N; 93 ° 0 3' E) is one of the hot diversity zone habitats of many medicinal plants traditionally used by local against human pathogenic bacteria (Passari et al., 2016; Mishra et al., 2016). The northeast hot diversity zone plants could be explored to elucidate the antibiofilm/antimicrobial potential that could be further explored to develop a new drug against bacteria biofilms.

CHAPTER 3

3. METHODOLOGY

3.1 Bacteria Strain and Culture Medium

Streptococcus pneumoniae D39 strain used in this study was purchased from MTCC, Chandigarh, India. *S. pneumonia* strain D39 is an Avery strain, serotype 2, and well known for its invasive property (Avery et al. 1944). The whole genome sequence of D39 strain is available on NCBI and is well known strain used for research purpose.

S. pneumoniae was grown in brain heart infusion (BHI) broth, and for longer use and storage glycerol stocks of bacteria were prepared and maintained at -80° C until use. For growing the bacteria colonies blood agar plate (BAP) which is supplemented with 5% of sheep blood was used. The DEP used for this study was purchased from the National Institute of Standard and Technology (NIST), the USA as previously reported (Song et al.,2008; Yadav et al 2020).

3.2 Plant Extract Preparation

Tithonia diversifolia plant was collected from the roadside towards Mizoram University campus, Tanhril, Mizoram. The plant leaves were collected and dried in a hot air oven at 37°C and ground into a fine powder using a domestic mixer grinder. The powder obtained was then weighed and the extract was prepared by soaking it in methanol for 48 hours. The plant extract was prepared according the protocol reported previously by Singh et al., (2016). The plant extract after methanol treatment was filtered through a Whatman no. 1 filter paper. The filtration process was repeated three time followed by the evaporation to dry at 40°C with the help of the rotary evaporator (BUCHI, Switzerland) that resulted in the crude plant extract. The extracts were then kept at 4°C until further use (Singh et al., 2016).

3.3 In vitro evaluation of diesel exhaust particles on bacteria planktonic growth

In order to evaluate the effects of DEP on pneumococci growth planktonically, the D39 strain of S. pneumoniae was grown in broth medium supplied with different concentrations of DEP 50 μ g, 100 μ g, and 200 μ g. The growth of the bacteria was detected by measuring its optical density at 600nm (OD₆₀₀) at different periods by the procedure previously reported (Yadav et al.,2020). The planktonic growth experiment was repeated 3 times in replicates. The statistical significance was calculated with help of excel using the student's t-test, and *p-value less than 0.05 were considered significant.

3.4 In vitro evaluation of diesel exhaust particles on bacteria biofilm growth

In vitro bacteria, biofilm formation in the presence of DEP was studied using a static microtiter plate assay (Christensen et al. 2000, Yadav et al., 2015) with different concentrations of DEP from 50µg, 100µg, and 200µg. S. pneumoniae colony grown on BPA was then grown in BHI broth up till log-phase. The bacteria cell suspension was prepared by diluting cells 1:200 and bacteria suspension was inoculated in 24-well (1 ml) plates and 200ul in 96-well plate. The plate was incubated for 18 hours at 37°C. After the incubation period, the suspended medium was removed by slowly pipetting out, and biofilms at the bottom of the plate were washed twice with distilled water and stained with 0.1% crystal violet (CV) solution for 15 min. The stained biofilms were again washed with phosphate buffer saline (PBS) twice and dissolved in 1 ml (24-well plate and 200ul for 96-well plate) of ethanol. The absorbance of the biofilm was 570nm using a spectrophotometer (Multiskan Skyhigh measured at Microplate Spectrophotometer, Thermo Fisher Scientific). The biofilm growth experiment was repeated two times and the experiment was performed in triplicates. The statistical significance of the results was calculation using the student's t-test, by considering *p-value less than 0.05 as significant.

For viable bacteria detection within the biofilms, after washing the biofilms with PBS, it was dissolved in sterile water followed by sonication for 10 seconds to dissolve biofilms. The diluted biofilm suspension was serially diluted and spread on BAP to count the colonies. The colony counting units (CFU) of the biofilms were detected by colony formed counting after 24 hours incubation at 37°C (Yadav et al., 2019).

3.5 *In vitro* evaluation of metal ion constitutes of diesel exhaust particles on bacteria planktonic growth

DEP contains various components including metal ions. To study the effects of metal ion constituents of DEP on bacterial growth, planktonic bacteria were grown in a metal ion-free medium supplied with different concentrations of DEP from 50µg, 100µg, and 200µg. A metal ion-free medium was prepared by treating the BHI broth with Chelex 100 (Sigma, USA) for 12 hrs on a shaker followed by sterilization of medium via filter sterilization. Chelex 100 chelates metal ion present in the medium. Bacteria grown on BAP medium were further grown in BHI broth medium up till the log phase, and the cells were pelleted out by centrifugation and dissolved in a metal ion-free medium. The bacteria suspension in a metal ion-free medium

was supplemented with DEP at a concentration of 50µg to 200µg/ml and incubated at 37°C for 48hrs. After the incubation period, the absorbance was measured at 600nm at different time points (Yadav et al.,2020). To calculate the statistical significance, the planktonic growth experiment was performed in triplicates and repeated two times. The results were represented as mean and the statistical significance was calculated using the student's t-test, and *p-value less than 0.05 were considered significant.

3.6 *In vitro* evaluation of effect of metal ion constitutes of diesel exhaust particles on bacteria biofilm growth

The effect of metal ion present in DEP on pneumococci in vitro biofilm was evaluated using static microplate assay previously reported and used by our group (Christensen et al., 1986; Yadav et a., 2015). Briefly, the S. pneumoniae colonies grown on solid BAP were scraped and dissolved in broth, then the colonies grown in BHI broth medium up till log phase. The cells were pelleted by centrifuging and dissolved in sterile metal ion-free medium supplied with different concentration of DEP from 50µg, 100µg, and 200µg. The bacteria cell suspension in a metal ion-free medium were inoculated in 24-well (1 ml) plates and incubated at 37°C for 48 hours. After the incubation period, the medium was removed by carefully pipetting out, and biofilms were washed twice with sterile water. The biofilms at the bottom of the plate were stained with 0.1% CV solution for 15 minutes. The biofilms were washed with PBS twice by carefully pipetting, followed by dissolving in 1ml (24-well plate) of ethanol. After washing with PBS, the biofilms were dissolved in sterile water followed by sonicating for 10 seconds. The absorbance of the biofilms was measured at 570nm using a spectrophotometer.

The viable colonies of the bacteria within the biofilms were detected by colony-forming unit (CFU) counting of the pneumococci biofilms. After washing, the biofilm suspension was serially diluted followed by the spread on BAP. The colonies of pneumococci on BAP was counted after 24hours of incubation at 37°C (Yadav et al.,2020). The statistical significance calculation was carried out using student's t-tests, and *p values less than 0.05 were considered significant.

3.7 Minimum Inhibitory concentration (MIC) detection and antimicrobial activity of *Tithonia diversifolia* plant extract

Tithonia diversifolia plant extract MIC was detected using the microdilution method (Yadav et al.,2019). The S. *pneumonia* was grown in a BHI broth medium with different concentrations of plant extracts. The bacteria growth was detected by measuring the optical density at 600nm by the spectrophotometer MIC of the plant extract against pneumococci was the concentration of the extract at which no bacteria growth was visible.

3.8 Evaluation of the antimicrobial potential of *Tithonia diversifolia* plant extract in bacteria planktonic growth

An initial experiment with plant extract showed the inhibitory activity of plant extract on pneumococci growth, therefore, to examine the bactericidal or bacteriostatic effect of plant extracts against bacteria, a bacteria-killing experiment was carried (Yadav et al., 2019). *S. pneumoniae* D39 cell suspension was grown in BHI broth up till the early log phase, and the aliquots were treated with 2xMIC concentrations of plant extracts (10 μ g), and the vehicle control samples were treated with DMSO, and the bacteria were grown further at 37°C. and viable bacteria were detected at the different periods (0, 6, 12, and 24 h) by the CFU counts.

3.9 Evaluation of the antibiofilm potential of *Tithonia diversifolia* plant extract in bacteria biofilm growth

To evaluate the effects of plant extracts on bacteria biofilms, *In vitro* S. pneumoniae D39 biofilms were grown in 24 well-plates and treated with different concentrations of plant extract. The alteration in biofilm biomass was detected by a static biofilm model using crystal-violet staining. The viable colonies of bacteria within biofilms were detected by CFU counts Yadav et al., 2019).

3.10 Evaluation of antibiofilm/antimicrobial mechanism of *Tithonia diversifolia* plant extract by crystal violet absorption assay

Tithonia diversifolia plant extract showed remarkable antimicrobial and anti-biofilm potential. The mode of action and mechanism of plant extracts antibiofilm potential was detected using crystal violet adsorption assay. The *S. pneumonia* was grown in BHI broth up till the early logphase and the cells were pelleted out by centrifuging at 45000g for 5 minutes at 4°C. The bacterial cells were then washed with PBS by carefully pipetting and treated with the plant extract and penicillin for 2 hours at 37°C. Penicillin was used as the vehicle control as it has no or very less effect (penicillin inhibits growing cells) on the bacterial cell membrane. Negative control was treated with DMSO (extract was dissolved in DMSO). The cells were harvested by centrifugation at 9300g for 5 minutes and treated with 10µl/ml CV solution (0.01%). The cell suspension was then incubated for 10 minutes and centrifugated at 13400g for 15 minutes. The OD of the cell suspension was detected at 590nm. (Yadav et al., 2019). The absorbance (OD600) value of the original solution CV solution was considered as 100%, and the percentage of CV absorption was detected by the follows formula:

 $\frac{\textit{OD value of the sample}}{\textit{OD value of the crystal violet solution}} \, X \, 100$

CHAPTER 4

4. **RESULTS**

4.1 Diesel exhaust particles exposure elevated the planktonic growth of the bacteria

S. pneumoniae D39 strain was grown planktonically in Brain Heart Infusion Broth (BHI) Media and with Diesel Exhaust Particles (DEP) at a different concentration from $50\mu g$, $100\mu g$, and $200\mu g$ and the vehicle control with no treatment of the DEP. The samples were then incubated at 37° C and the optical density was detected at different time intervals such as at 0, 2, 4, 6, 8, 10, 12, and 14hrs by the spectrophotometer at 600nm. The bacteria started to grow from 2-4hrs of incubation and the growth of the bacteria with the treatment of DEP is noticeably increased from 6hrs to 10hrs of incubation in comparison with vehicle control and reached its highest growth at 12hrs of incubation. The bacteria are then entering the early lag phase after the 14hrs of incubation. At 10 and 12hrs, pneumococcal growth was suggestively raised in the sample containing DEP matched to the vehicle control. The highest bacterial growth was detected in the sample containing 200 μ g of DEP. The error bar shown in the figure is the standard deviation from the mean value. The study was performed in triplicates and was repeated 2 times.




Figure 1: *Streptococcus pneumoniae* D39 strain, planktonic growth in BHI medium supplied with different concentrations of diesel exhaust particles (DEP). Bacteria growth of bacteria suspension was detected by measuring optical density at different time interval at 600nm. The growth of bacteria in presence of DEP was elevated in compare to the control. Error bar showing standard deviation from mean value. The study was performed in triplicates and repeated 2 times.

4.2 DEP exposure elevated S. pneumoniae in vitro biofilm growth

S. pneumoniae D39 strain in vitro biofilms were grown in BHI broth media with different concentrations of DEP (50µg, 100µg, and 200µg) along with the vehicle control with no treatment. The biofilms of S. pneumoniae were grown in a 24-well plate and, the samples were then incubated at 37°C and the optical density was detected after 18 hours of incubation. After incubation, the biofilm formed in the well was washed twice with decontaminated water and was stained with the crystal violet solution (0.1.%) and the optical density of the biofilm was measured by the spectrophotometer at 570nm. The biofilm growth of the bacteria with the treatment of DEP in different concentrations is significantly increased in comparison with vehicle control. The DEP treated 50µg shows a greater growth of the bacteria biofilms than the vehicle control and, 100 μ g and 200 μ g showed a significant (p< 0.05) growth of the bacteria biofilms (Figure 2 A). Streptococcus pneumoniae formed compact biofilms at the bottom of the plate in DEP supplemented sample in contrast to the control samples (Figure 2 B) The error bar is showing the standard deviation of the mean value. The study was performed in triplicates and was repeated 2 times. The statistical significance calculation was calculated using the student's t-test, and *p-value less than 0.05 were considered to be significant. The preestablished biofilm was diluted with the serial dilution method and was spread on a blood agar plate for the CFU count.




Figure 2: *In vitro* biofilm growth of *Streptococcus pneumoniae* D39 strain in brain heart infusion (BHI) medium supplied with different concentrations of diesel exhaust particles (DEP). (A) *In vitro* biofilms growth was significantly (P < 0.05) increased in presence of DEP. (B) Crystal violet-stained in vitro biofilms grown in 24-well tissue culture plate. Error bar showing standard deviation from mean value. Study was performed in triplicates and repeated 2 times. Statistical significance was calculated using students t test, and *p value less than 0.05 were considered significant.

4.3 DEP exposure elevated bacteria planktonic growth in metal ion free medium

S. pneumoniae was grown in metal ion-free BHI broth media treated with different concentrations of DEP at 50µg, 100µg, and 200µg. The control sample (vehicle control) was without treatment of the DEP. The bacteria samples were then incubated at 37°C and the optical density was measured at different time intervals 0, 12, 24, 36, and 48hrs by the spectrophotometer at 600nm. The planktonic growth of the bacteria in the metal ion-free media (chelex treated) was slower than the normal BHI medium as bacteria started to grow after 12hrs of incubation. In the treatment of the samples with DEP, bacteria growth was noticeably increased in comparison with vehicle control. In the presence of DEP pneumococcal planktonic growth was suggestively higher (P<0.05) (Figure 3). In presence of DEP at a concentration of 50, 100, and 200 ug/ml the pneumococcal growth was significantly increased. In 200ug of DEP, the bacteria growth was elevated at 12hrs of incubation, while in 50 and 100 ug DEP supplemented samples, growth started at 36 hrs. Error bar shows the standard deviation of the mean value. The study was performed in triplicates and repeated 2 times.




Figure 3: *Streptococcus pneumoniae* D39 strain planktonic growth in metal ion free medium BHI medium treated with chelex-100). Bacteria was grown with different concentration of DEP, and growth was detected by measuring optical density at 60nm at different time interval. In the presence of DEP pneumococcal planktonic growth were significantly (P<0.05) elevated. Error bar showing standard deviation from mean value. Study was performed in triplicates and repeated 2 times.

4.4 DEP exposure elevated bacteria in vitro biofilm growth in metal ion free medium

S. pneumoniae strain D39 was grown in a metal ion-free BHI broth media and treated with different concentrations of DEP 50 μ g, 100 μ g, and 200 μ g along with the vehicle control without treatment. The bacteria biofilms were grown in a 24-well plate and, the samples were then incubated at 37°C. After 48hrs incubation, the biofilm biomass was detected by staining biofilm by crystal violet. After incubation, the biofilm formed in the wells was washed twice by carefully pipetting with decontaminated water and stained with the crystal violet solution (0.1%), and the optical density was measured by the spectrophotometer at 570nm. The results showed that the biofilm growth of the bacteria with the treatment of DEP in different concentrations is noticeably increased in comparison with vehicle control. The biofilms growth with DEP treated 50 μ g shows a greater growth of the bacteria biofilms than the vehicle control and, 100 μ g and 200 μ g showed a significant (p<0.05) high growth of the bacteria biofilms (Figure 4). The error bar is showing the standard deviation of the mean value. The study was performed in triplicates and was repeated 2 times. The statistical significance calculation was calculated using the student's t-test, and *p-value less than 0.05 were considered to be significant.




Figure 4: *In vitro* biofilm growth of *Streptococcus pneumoniae* D39 strain in metal ion free BHI medium (treated with chelex-100) for 48h, in presence or absence of diesel exhaust particles (DEP). In the presence of DEP pneumococcal *in vitro* biofilms were significantly (P<0.05) elevated. Error bar showing standard deviation from mean value. Study was performed in triplicate and repeated 2 times for statistical calculation. The statistical significance calculation was calculated using students t test, and *p value less than 0.05 were considered significant.

4.5 Minimum Inhibitory concentration (MIC) detection and antimicrobial activity of *Tithonia diversifolia* plant extract

The MIC detection of *Tithonia diversifolia* plant extract was carried out using the microdilution method by treating the *S. pneumoniae* with different concentrations of plant extracts ranging from 2.5µg, 5µg, 10µg, and 20µg. The vehicle control was treated with DMSO The bacteria with plant extracts were incubated at 37C for 24hrs, and the growth was measured by measuring optical density at 600nm. The result showed decreased or no growth of bacteria in presence of plant extract. The presence of plant extract significantly inhibited *Streptococcus pneumoniae* growth at all concentrations (2.5µg, 5µg, 10µg, and 20µg) tested in this study. The MIC is the concentration on which no visible growth of bacteria takes place. Our results showed low growth in samples treated with 2.5 µg/ml plant extract, however, no visible growth of bacteria was detected at 5µg plant extract (Figure 5). Therefore, the MIC of *Tithonia diversifolia* plant extract against *Streptococcus pneumoniae* D39 strain serotype 2 is 5µg. Error shown in figure 5 is the standard deviation from the mean value, and the study was performed in triplicate and repeated 2 times.




Figure 5: Minimum inhibitory concentration (MIC) detection of *Tithonia diversifolia* pant extract against Streptococcus pneumoniae D39 strain, using micro-dilution method. Error bar showing standard deviation from mean value. Study was performed in triplicate and repeated 2 times.

4.6 *Tithonia diversifolia* plant extract shows the antimicrobial potential against bacteria planktonic growth

The time-dependent killing experiment was carried out to study the effects of plant extract on bacteria. S. pneumoniae was grown-up in a BHI broth media till its early log phase and treated with the plant extract at the concentration of 5µg, 10µg, and 20µg. The vehicle control was treated with DMSO. The samples were incubated at 37°C and any alteration in the bacteria growth was measured by measuring the optical density after 18hrs by spectrophotometer at 600nm. The results showed that bacteria were further grown in the control sample and reached to log phase at 9 hrs. The growth of the bacteria with the treatment of the plant extract was noticeably decreased as the bacterial growth start to decline from 3hrs and from 6hrs the growth is linear whereas in the in-vehicle control the growth of the bacteria is elevated and reach its maximum growth at 18hrs of incubation. However, the bacterial growth was decreased with time in samples treated with plant extract. The bacteria cell suspension treated with 5, 10, and 20µg/ml showed decreased growth at 3hours and 6hours. The maximum decrease in bacteria growth was detected at early 3hours and hours, after 6hours bacteria growth decrease was not significant. In addition, the samples treated with 20µg showed a maximum decrease and it was at 6hours after treatment. The error bar shows the standard deviation of the mean value. The study was performed in triplicate and repeated 2 times for statistical calculation.




Figure 6: **Time dependent killing of Streptococcus pneumoniae.** Early log-phase grown pneumococci were treated with plant extract (5,10,20ug/ml), and any alteration in bacteria growth was detected by measuring optical density at different time interval. In vehicle control, bacteria were further grown to log-phase and attained max growth at 18 hrs. While in plant extract treated samples bacteria growth was declined. The bacterial growth was markedly decreased at 3 to 6 hours of plant extract treatment. Error bar showing standard deviation from mean value. Study was performed in triplicate and repeated 2 times for statistical calculation.

4.7 *Tithonia diversifolia* plant extract inhibits *Streptococcus pneumoniae* in vitro biofilms and eradicates pre-established biofilms

S. pneumoniae in vitro biofilm was grown in BHI media in 24 well plates and were treated with the plant extract at the concentration of $5\mu g$, $10 \mu g$, and $20 \mu g$., the samples were incubated at 37° C for 18 hours. The optical density was measured by a spectrophotometer at 570nm. The results showed suggestively (P<0.05) decreased biofilms in samples treated with plant extract at all the concentrations tested. Indeed, no biofilms were detected at 5 μg and other concentrations of plant extract after 18 hours (Figure 7).

To study the effects of plant extract on pre-established biofilms, S. pneumoniae biofilms were grown for 15hours and then treated with plant extracts. The viable bacteria colony within biofilms were detected by CFU counts. The CFU counts results showed a significantly high number of viable bacteria within the biofilms of control samples, however, the viable bacteria were decreased within biofilms treated with plant extract (Figure 8A). The numbers of colonies on blood agar plate were few in biofilms treated with plant extracts (Figure 8B).





Figure 7: *In vitro* biofilm growth of *Streptococcus pneumoniae* D39 strain in BHI medium for 18h, in presence or absence of different concentration of plant extract. Biofilms were detected by cv microplate assay. In the presence of plant extract pneumococcal *in vitro* biofilms were suggestively (P<0.05) decreased. Error bar showing standard deviation from mean value. Study was performed in triplicate and repeated 2 times for statistical calculation. Statistical significance was calculated using students t test, and *p value less than 0.05 were considered significant.





(ii) Different concentrations of plant extract spread on a blood agar plate for the CFU count




Figure 8: Effects of tithonia diversifolia plant extract on *Streptococcus pneumoniae* pre-established biofilms. *In vitro* biofilm was established for 18 hours, and treated with plant extract and viable cells within biofilms were detected using CFU counts. (A) Biofilm treated with different concentration of plant extract showed a significantly (P<0.05) decreased viable cells within the biofilms. (B). *Streptococcus pneumoniae* vial cell counts within biofilms on blood agar plate. In control sample numerous colonies are visible, however, very less colonies are visible in biofilm samples treated with plant extract.

31

4.8 Tithonia diversifolia plant affects pneumococcal cell

The Crystal violet absorption assay was carried to elucidate the mechanism of antimicrobial activity of the plant extract. S. *pneumoniae* was grown till the log-phase and was treated with DMSO (as vehicle control), Penicillin (taken as a negative control as penicillin do not affect the bacteria cell membrane), and with the plant extract at 10 µg concentration. The CV assay showed that the control samples absorption approx. 20% CV, and penicillin treated bacteria also demonstrated approx. 25% of CV absorption. While plant extract treated bacteria showed approx. 80% CV absorption as shown in the graph plotted in figure 9. It implies that the bacteria cell membrane was compromised or disrupted by plant extract treatment.




Figure 9: Crystal violet absorption assay to elucidate the mechanism of antimicrobial activity of plant extract. Log-phase *Streptococcus pneumoniae* were treated with DMSO (vehicle control), Penicillin (Negative control, as penicillin have no effect on bacteria cell membrane) and plant extract (10 μ g). The cv assay showed that control samples absorption approx. 20% cv, and penicillin treated bacteria also demonstrated approx. 25% of cv absorption. While extracted treated bacteria showed approx. 80% cv absorption.

CHAPTER 5

5. **DISCUSSION**

Streptococcus pneumonia is a gram-positive, opportunistic pathogen and a very common bacteria that colonize the nasopharynx and these colonizing pneumococci form a biofilm community into the nasopharynx. These biofilms are particularly resistant to antimicrobial agents (Chao et al.2018). Biofilm formation is the essential step in pathogenesis as the biofilm is responsible for bacterial competence, persistence, a reservoir for invasive disease, and immune evasion (Reddinger et al. 2018). The toxic particulate matter (PM) deposits into the respiratory tract during the gaseous exchange and increases the chance of having an infection and disease (Yadav et al.2020). But it is still not well known the mechanisms how the particulate matter took its role in promoting infectious disease and invading human defense. In this study, we reported the effects of DEP particulate matter on S. pneumoniae Planktonic and Biofilm Growth. DEP causes adverse health diseases and infections that involve reactive oxygen species generation and, inflammation, and oxidative stress which can lead to DNA damage (Li et al.2015). The results of planktonic growth with different concentrations of DEP revealed elevated bacterial growth. The low growth of bacteria initially indicates that bacteria were adapting to growth in the presence of DEP, and it grows maximum at 10-12 hours of incubation. However, low growth in control (absence of DEP) indicates that DEP presence or constituents of DEP contribute to bacteria growth. Similarly elevated growth of S. pneumoniae was previously detected in presence of the Urban Particles (UP), and Asian Sand Dust (ASD) (Yadav et al.,2020a; Yadav et al.,2020b). The presence of black carbon also affects the physiology of bacteria and demonstrated enhanced growth (Hussey et al., 2017). Increased growth of biofilm in the presence of DEP could be due to the presence of particulate matter as the bacteria cling onto the bottom of the tissue culture plate increased. Probably the bacteria prefer to adhere and form robust biofilm on a rough surface, and the PM here acts as a substrate for the bacteria attachment and biofilm formation. Similar high biofilms were detected in the presence of UP by Yadav et al 2020a. They demonstrate that the bacteria physiology may be altered in the presence of urban particles, the constituents of UP favor in vitro biofilm growth (Yadav et al., 2020a). DEP can change the cell stiffness and adhesion force and could also decrease the protein and the DNA of the mammalian cell by the study reported by Q. Li et al.2015. In this study to better understand the S. pneumoniae growth alteration by the DEP, the BHI media was treated with the Chelex100 to chelate all the metal ions present in the BHI media and a metal ion-free media was prepared. The planktonic growth of the bacteria treated with the different concentrations of DEP in the metal ion-free media showed that the growth of bacteria was much slower than the bacteria grown in the normal BHI media. The bacteria in

presence of DEP were elevated from 12hrs of incubation and the vehicle control growth was linear and negligible. Whereas in the biofilm growth the bacteria on treating with different concentrations of DEP was significantly higher than the vehicle control. The results of this study give us insight into the effect of the DEP which can be causing adverse health diseases and infection mainly in the respiratory tract. High doses of DEP in many studies of in vitro fall inside the range of realistic exposure to air pollutant particulate matter at the flashpoints that may occur in the pulmonary interstitium of the exposed lung (Lawal 2017). Altogether, the elevated growth of pneumococci in both planktonic and biofilms indicates that DEP provides es favorable environment for bacteria growth and provides a suitable surface for biofilm formation. Similar results were reported by our group with urban particles and Asian sand dust particles (Yadav et al., 2020a; Yadav et al 2020b). Furthermore, the elevated growth in metal ion-free medium indicates that the DEP constituents specifically metal ions contribute to biofilm formation. It is reported that metal iron particularly iron is very important for pneumococci growth, virulence, and biofilm formation (Trappetti et al., 2011). And the previous study demonstrated that in absence of iron pneumococci biofilms were low. Particulate matter contains irons as one of the metal constituents that can be utilized by pneumococci for its growth and biofilm formation (Yadav et al., 2020a; Yadav et al 2020b; Hussy et al., 2018)

The formation of biofilm in the nasopharynx is crucial for infection establishment, therefore a dual activity compound that can inhibit bacteria growth/biofilms and having anti-inflammatory activity could be more effective to combat respiratory infections. Here we evaluated the antimicrobial/antibiofilm potential of the plant Tithonia diversifolia as it has been reported that the plant is having anti-inflammatory (Paula et al.2011) antimicrobial, anti-fungal, antimalarial (Madureira, 2002), and cancer chemopreventive activities (Bork PM et., al 1996). The S. pneumoniae was treated with the methanolic plant extract of T. diversifolia and the growth under planktonic and biofilm growth were evaluated. Results indicate that S. pneumoniae growth was declining in the samples grown with plant extract. The antimicrobial effects of plant extract were concentration-dependent. Similarly, the in vitro biofilms of pneumococci were also decreased in samples treated with plant extract. The CFU counts decreased in preestablished biofilm on plant extract treatment indicates that plant extract diffused deep inside the biofilms and able to kill bacteria inside biofilms. It is reported that the matrix of biofilms prevents the diffusion of antimicrobial agents due to its polar nature, and the phenolic plant metabolites can overcome this barrier and kill bacteria (Roy et al., 2018). The crystal violet absorption assay was also followed by the method provided by Yadav et al.2019 to clarify the

mechanism of the antimicrobial activity of the plant extract and, the results show that the crystal violet was absorbed the most in the treatment with the plant extract implying that the bacteria cell membrane was compromised or disrupted by plant extract treatment.

6. CONCLUSIONS

The study showed that DEP exposure increased the *S. pneumonia* growth both in planktonic and in biofilm. And the elevated Pneumococcal biofilms in metal ion-free medium indicate that bacteria utilize DEP components for their growth, and DEP provides a favorable surface for biofilm growth. The inhibition of *S. pneumonia growth* on *Tithonia diversifolia extract treatment showed* the antimicrobial property of the plant extract. The eradication of pre-established biofilms on plant extract treatment indicates that *Tithonia diversifolia extract* can penetrate deep inside the biofilms across the matrix and kill bacteria. The increased absorption of crystal violet in *Tithonia diversifolia* extract-treated pneumococci showed that the target of action of plant extract is the cell membrane, which disrupted plant extract treatment.

ABBREVIATIONS

%	Percentage
*p	p-value
°C	Degree Celsius
μg	Micro Gram
BAP	Blood Agar Plate
BHI	Brain Heart Infusion
CFU	Colony Forming Unit
CV	Crystal Violet
DEP	Diesel Exhaust Particles
DMSO	Dimethyl sulfoxide
g	Gram
MIC	Minimum Inhibitory Concentration
ml	Milli Litre
nm	Nano Mitre
PE	Plant Extract
PM	Particulate Matter

7. **REFERENCES**

A.A. Ajao, A.N. Moteetee, Tithonia diversifolia (Hemsl) A. Gray. (Asteraceae: Heliantheae), an invasive plant of significant ethnopharmacological importance: A review, South African Journal of Botany, Volume 113, 2017, Pages 396-403, ISSN 0254-6299, https://doi.org/10.1016/j.sajb.2017.09.017.

(https://www.sciencedirect.com/science/article/pii/S0254629917307196).

- Adaji, E.E., Ekezie, W., Clifford, M. *et al.* Understanding the effect of indoor air pollution on pneumonia in children under 5 in low- and middle-income countries: a systematic review of evidence. *Environ Sci Pollut Res* 26, 3208–3225. <u>https://doi.org/10.1007/s11356-018-3769-1</u>. Date08 February 2019
- Arlington L, Patel AB, Simmons E, Kurhe K, Prakash A, Rao SR, et al. (2019). Duration of solid fuel cookstove use is associated with an increased risk of acute lower respiratory infection among children under six months in rural central India. October 24, 2019. PLoS ONE 14(10): e0224374. <u>https://doi.org/</u> 10.1371/journal.pone.0224374.
- Avery OT, Macleod CM, McCarty M. Studies On The Chemical Nature Of The Substance Inducing Transformation Of Pneumococcal Types: Induction Of Transformation By A Desoxyribonucleic Acid Fraction Isolated From Pneumococcus TYPE III. J Exp Med. 1944 Feb 1;79(2):137-58. doi: 10.1084/jem.79.2.137. PMID: 19871359; PMCID: PMC2135445.
- Antunes MB, Chi JJ, Liu Z, Daruech NG, Palmer JN, Zhu J, Cohen NA. Molecular Basis of Tobacco-Induced Bacterial Biofilms: An In Vitro Study. Otolaryngology -- Head and Neck Surgery, 147(5), 876–884. doi:10.1177/0194599812447263. April 13, 2012
- Bork PM, Schmitz ML, Weimann C, Kist M, Heinrich M. Nahua indian medicinal plants (Mexico): Inhibitory activity on NF-κB as an anti-inflammatory model and antibacterial effects. Phytomedicine. 1996 Nov;3(3):263-9. doi: 10.1016/S0944-7113(96)80064-X. PMID: 23195081.

- Boovarahan, S.R., Kurian, G.A., (2018). Rev Environ Health. 2018. Mitochondrial dysfunction: a key player in the pathogenesis of cardiovascular diseases linked to air pollution. Rev Environ Health. 2018 Jun 27;33(2):111-122. DOI: 10.1515/reveh-2017-0025Corpus. ID: 1741000
- Chagas-Paula, D.A., Oliveira, R.B., Rocha, B.A., Da Costa, F.B., 2012. Ethnobotany, chemistry, and biological activities of the genus Tithonia (Asteraceae). Chem- istry & Biodiversity 9, 210–235.
- Chan TL, Lee PS, Hering WE. Deposition and clearance of inhaled diesel exhaust particles in the respiratory tract of Fischer rats. J Appl Toxicol. 1981 Apr;1(2):77-82. DOI: 10.1002/jat.2550010206. PMID: 6206117.
- Chao Yashuan, Marks Laura R., Pettigrew Melinda M., Hakansson Anders P., Streptococcus pneumoniae biofilm formation and dispersion during colonization and disease, Frontiers in Cellular and Infection Microbiology, 4, 2015, 194, https://www.frontiersin.org/article/10.3389/fcimb.2014.00194, DOI=10.3389/fcimb.2014.00194
- Cho HS, Lee JH, Ryu SY, Joo SW, Cho MH, Lee J. Inhibition of Pseudomonas aeruginosa and Escherichia coli O157:H7 biofilm formation by plant metabolite ε-viniferin. 2013 Jul 24;61(29):7120-6. doi: 10.1021/jf4009313. Epub 2013 Jul 16. PMID: 23819562
- Chandel P, Rawal RK, Kaur R. Natural products and their derivatives as cyclooxygenase-2 inhibitors. Epub 2018 Oct 16_10(20):2471-2492. doi:10.4155/fmc-2018-0120.
- Christensen G.D., Simpson W.A., Anglen J.O., Gainor B.J. (2000) Methods for Evaluating Attached Bacteria and Biofilms. In: An Y.H., Friedman R.J. (eds) Handbook of Bacterial Adhesion. Humana Press, Totowa, NJ. https://doi.org/10.1007/978-1-59259-224-1_13
- Chang YW, Fragkopoulos AA, Marquez SM, Kim HD, Angelini TE, Nieves AF. Biofilm formation in geometries with different surface curvature and oxygen availability. 033017– . doi:10.1088/1367-2630/17/3/033017. 6 March 2015

- Chang B, Nariai A, Sekizuka T, Akeda Y, Kuroda M, Oishi K, Ohnishi M. Capsule Switching and Antimicrobial Resistance Acquired during Repeated Streptococcus pneumoniae Pneumonia Episodes. J Clin Microbiol. 2015 Oct;53(10):3318-24. doi: 10.1128/JCM.01222-15. Epub 2015 Aug 12. PMID: 26269621; PMCID: PMC4572546.
- Ganesh PS, Krishnamurthy V, ISwamy K, Suvaithenamudhan S, Amuthan M, Vimali I, Ravi AV, Sivakumar S, Dinakar Ch, Nagarajan S, Shankar EM. Biofilm-Associated Agr and Sar Quorum Sensing Systems of Methicillin-Resistant Staphylococcus Aureus are Inhibited by Fruit Extracts of Illicium Verum. *Preprints* 2019, 2019080096 (doi: 10.20944/preprints201908.0096.v1).
- Gilley Ryan P., Orihuela Carlos J., Pneumococci in biofilms are non-invasive: implications on nasopharyngeal colonization, Frontiers in Cellular and Infection Microbiology, VOLUME 4, 2014, PAGES 163, <u>https://www.frontiersin.org/article/10.3389/fcimb.2014.00163</u>, DOI 10.3389/fcimb.2014.00163
- Goffin E, Ziemons E, De Mol P, de Madureira Mdo C, Martins AP, da Cunha AP, Philippe G, Tits M, Angenot L, Frederich M. In vitro antiplasmodial activity of Tithonia diversifolia and identification of its main active constituent: tagitinin C. Planta Med. 2002 Jun;68(6):543-5. doi: 10.1055/s-2002-32552. PMID: 12094301.
- Maria do Céu de Madureira; Ana Paula Martins; Milene Gomes; Jorge Paiva; António Proença da Cunha; Virgílio do Rosário (2002). Antimalarial activity of medicinal plants used in traditional medicine in S. Tomé and Príncipe islands., 81(1), 0–29. doi:10.1016/s0378-8741(02)00005-3
- McEachern EK, Hwang JH, Sladewski KM, Nicatia S, Dewitz C, Mathew DP, Nizet V, Crotty Alexander LE. Analysis of the effects of cigarette smoke on staphylococcal virulence phenotypes. Infect Immun. 2015 Jun;83(6):2443-52. doi: 10.1128/IAI.00303-15. Epub 2015 Mar 30. PMID: 25824841; PMCID: PMC4432760.

- Morrissey JA. Air pollution alters Staphylococcus aureus and Streptococcus pneumoniae biofilms, antibiotic tolerance and colonisation. Environ Microbiol. 2017 May;19(5):1868-1880. doi: 10.1111/1462-2920.13686. Epub 2017 Feb 28. PMID: 28195384; PMCID: PMC6849702.
- Mushtaq et al. J Allergy Clin Immunol. Adhesion of Streptococcus pneumoniae to human airway epithelial cells exposed to urban particulate matter. 2011 May;127(5):1236-42.e2. doi: 10.1016/j.jaci.2010.11.039. Epub 2011 Jan 17.
- Omwenga EO, Hensel A, Pereira S, Shitandi AA, Goycoolea FM. Antiquorum sensing, antibiofilm formation and cytotoxicity activity of commonly used medicinal plants by inhabitants of Borabu sub-county, Nyamira County, Kenya. PLoS One. 2017 Nov 1;12(11):e0185722. doi:10.1371/journal.pone.0185722. PMID: 29091715; PMCID: PMC5665492.
- Huang, RJ., Zhang, Y., Bozzetti, C. *et al.* High secondary aerosol contribution to particulate pollution during haze events in China. *Nature* 514, 218–222. <u>https://doi.org/10.1038/nature13774.09</u> <u>October 2014</u>
- Hussey SJK, Purves J, Allcock N, Fernandes VE, Monks PS, Ketley JM, Andrew PW,
 Mingyun Li, Ruijie Huang, Xuedong Zhou, Keke Zhang, Xin Zheng, Richard L. Gregory,
 Effect of nicotine on dual-species biofilms of *Streptococcus mutans* and *Streptococcus sanguinis*, *FEMS Microbiology Letters*, Volume 350, Issue 2, January 2014, Pages 125–132, https://doi.org/10.1111/1574-6968.12317
- Kulkarni R, Antala S, Wang A, Amaral FE, Rampersaud R, Larussa SJ, Planet PJ, Ratner AJ. Cigarette smoke increases Staphylococcus aureus biofilm formation via oxidative stress. Infect Immun. 2012 Nov;80(11):3804-11. doi: 10.1128/IAI.00689-12. Epub 2012 Aug 13. PMID: 22890993; PMCID: PMC3486061.
- Kadioglu A, Weiser JN, Paton JC, Andrew PW. The role of Streptococcus pneumoniae virulence factors in host respiratory colonization and disease. Nat Rev Microbiol. 2008 Apr;6(4):288-301. DOI: 10.1038/nrmicro1871. PMID: 18340341.

- Landrigan PJ, Fuller R, Acosta NJR, Adeyi O, Arnold R, Basu NN, Baldé AB, Bertollini R, Bose-O'Reilly S, Boufford JI, Breysse PN, Chiles T, Mahidol C, Coll-Seck AM, Cropper ML, Fobil J, Fuster V, Greenstone M, Haines A, Hanrahan D, Hunter D, Khare M, Krupnick A, Lanphear B, Lohani B, Martin K, Mathiasen KV, McTeer MA, Murray CJL, Ndahimananjara JD, Perera F, Potočnik J, Preker AS, Ramesh J, Rockström J, Salinas C, Samson LD, Sandilya K, Sly PD, Smith KR, Steiner A, Stewart RB, Suk WA, van Schayck OCP, Yadama GN, Yumkella K, Zhong M. The Lancet Commission on pollution and health. Lancet. 2018 Feb 3;391(10119):462-512. DOI: 10.1016/S0140-6736(17)32345-0. Epub 2017 Oct 19. Erratum in: Lancet. 2018 Feb 3;391(10119):430. PMID: 29056410.
- Lawal AO. Diesel Exhaust Particles and the Induction of Macrophage Activation and Dysfunction. Inflammation. 2018 Feb;41(1):356-363. DOI: 10.1007/s10753-017-0682-6. PMID: 29047037.
- Loughran AJ, Orihuela CJ, Tuomanen EI. 2018. Streptococcus pneumoniae: Invasion and Inflammation. Microbiol Spectrum 7(2):GPP3-0004-2018. doi:10.1128/microbiolspec. GPP3-0004-2018.
- Owoyele, Bamidele & Okoye, O & Dolor, R & Oloruntola, Philip & Soladoye, Ayodele. (2011). Analgesic, anti-inflammatory and antipyretic effects of the ethanol extract of Acalypha wilkesiana leaves in rats. Nigerian journal of physiological sciences : official publication of the Physiological Society of Nigeria. 26. 77-82.
- Perez, L.R.R., Antunes, A.L.S., Freitas, A.L.P. *et al.* When the resistance gets clingy: *Pseudomonas aeruginosa* harboring metallo-β-lactamase gene shows high ability to produce biofilm. *Eur J Clin Microbiol Infect Dis* **31**, 711–714. <u>https://doi.org/10.1007/s10096-011-1363-2</u>. May 2012
- <u>Passari</u> AK, <u>Mishra</u> VK, <u>Leo</u> VV, <u>Gupta</u> VK, <u>Singh</u> BP. Phytohormone production endowed with antagonistic potential and plant growth promoting abilities of culturable endophytic bacteria

isolated from Clerodendrum colebrookianum Walp. 2016 Dec;193:57-73.doi: 10.1016/j.micres.2016.09.006.

- Park HI, Kim JS, Kim DK, Choi YJ, Pak D. Nitrate-reducing bacterial community in a biofilmelectrode reactor. July 2006. Enzyme and Microbial Technology 39(3):453-458 DOI:10.1016/j.enzmictec.2005.11.028
- Parage C, Tavares R, Réty S, Baltenweck-Guyot R, Poutaraud A, Renault L, Heintz D, Lugan R, Marais GA, Aubourg S, Hugueney P. Structural, functional, and evolutionary analysis of the unusually large stilbene synthase gene family in grapevine. Plant Physiol. 2012 Nov;160(3):1407-19. doi: 10.1104/pp.112.202705. Epub 2012 Sep 6. PMID: 22961129; PMCID: PMC3490603.
- Reddinger RM, Luke-Marshall NR, Sauberan SL, Hakansson AP, Campagnari AA. *Streptococcus pneumoniae* Modulates *Staphylococcus aureus* Biofilm Dispersion and the Transition from Colonization to Invasive Disease. mBio. 2018 Jan 9;9(1):e02089-17. doi: 10.1128/mBio.02089-17. PMID: 29317512; PMCID: PMC5760742.
- Roy R, Tiwari M, Donelli G, Tiwari V. Strategies for combating bacterial biofilms: A focus on antibiofilm agents and their mechanisms of action. Virulence. 2018 Jan 1;9(1):522-554. doi: 10.1080/21505594.2017.1313372. PMID: 28362216; PMCID: PMC5955472.
- Sanchez, C.J., Hurtgen, B.J., Lizcano, A. *et al.* Biofilm, and planktonic pneumococci demonstrate disparate immunoreactivity to human convalescent sera. *BMC Microbiol* **11**, 245 (2011). https://doi.org/10.1186/1471-2180-11-245
- Semlali A, Killer K, Alanazi H, Chmielewski W, Rouabhia M. Cigarette smoke condensate increases
 C. albicans adhesion, growth, biofilm formation, and EAP1, HWP1 and SAP2 gene expression.
 BMC Microbiol. 2014 Mar 12;14:61. doi: 10.1186/1471-2180-14-61. PMID: 24618025;
 PMCID: PMC3995653.

- Song JH, Oh WS, Kang CI, Chung DR, Peck KR, Ko KS, Yeom JS, Kim CK, Kim SW, Chang HH, Kim YS, Jung SI, Tong Z, Wang Q, Huang SG, Liu JW, Lalitha MK, Tan BH, Van PH, Carlos CC, So T; Asian Network for Surveillance of Resistant Pathogens Study Group. Epidemiology and clinical outcomes of community-acquired pneumonia in adult patients in Asian countries: a prospective study by the Asian network for surveillance of resistant pathogens. Int J Antimicrob Agents. 2008 Feb;31(2):107-14. doi: 10.1016/j.ijantimicag.2007.09.014. Epub 2007 Dec 26. PMID: 18162378; PMCID: PMC7134693.
- Singh R, Sahore S, Kaur P, Rani A , Ray P. Penetration barrier contributes to bacterial biofilmassociated resistance against only select antibiotics, and exhibits genus-, strain- and antibioticspecific differences. 2016 Aug;74(6):ftw056. doi: 10.1093/femspd/ftw056. Epub 2016 Jul 7. PMID: 27402781
- Shears RK, Jacques LC, Naylor G, Miyashita L, Khandaker S, Lebre F, Lavelle EC, Grigg J, French N, Neill DR, Kadioglu A. Exposure to diesel exhaust particles increases susceptibility to invasive pneumococcal disease. J Allergy Clin Immunol. 2020 Apr;145(4):1272-1284.e6. DOI: 10.1016/j.jaci.2019.11.039. Epub 2020 Jan 23. PMID: 31983527; PMCID: PMC7154500.
- Shimizu Y, Nakatsuru Y, Ichinose M, Takahashi Y, Kume H, Mimura J, Fujii-Kuriyama Y, Ishikawa T. Benzo[a]pyrene carcinogenicity is lost in mice lacking the aryl hydrocarbon receptor. Proc Natl Acad Sci U S A. 2000 Jan 18;97(2):779-82. doi: 10.1073/pnas.97.2.779. PMID: 10639156; PMCID: PMC15407.
- Steiner S, Bisig C, Petri-Fink A, Rothen-Rutishauser B. Diesel exhaust: current knowledge of adverse effects and underlying cellular mechanisms. Arch Toxicol. 2016 Jul;90(7):1541-53. DOI: 10.1007/s00204-016-1736-5. Epub 2016 May 10. PMID: 27165416; PMCID: PMC4894930.
- Talekar SJ, Chochua S, Nelson K, Klugman KP, Quave CL, Vidal JE. 220D-F2 from Rubus ulmifolius kills Streptococcus pneumoniae planktonic cells and pneumococcal biofilms. PLoS One. 2014

May 13;9(5):e97314. doi: 10.1371/journal.pone.0097314. PMID: 24823499; PMCID: PMC4019571.

- Trappetti C, Potter AJ, Paton AW, Oggioni MR, Paton JC. LuxS mediates iron-dependent biofilm formation, competence, and fratricide in Streptococcus pneumoniae. Infect Immun. 2011 Nov;79(11):4550-8. doi: 10.1128/IAI.05644-11. Epub 2011 Aug 29. PMID: 21875962; PMCID: PMC3257940.
- Vanker A, Nduru PM, Barnett W, Dube FS, Sly PD, Gie RP, Nicol MP, and Zar HJ. Indoor air pollution and tobacco smoke exposure: impact on nasopharyngeal bacterial carriage in mothers and infants in an African birth cohort study. ERJ Open Res 2019; 5: 00052-2018 [https://doi.org/10.1183/23120541.00052-2018].
- Vestergaard M, Frees D, Ingmer H. Antibiotic Resistance and the MRSA Problem. Microbiol Spectr. 2019 Mar;7(2). doi: 10.1128/microbiolspec.GPP3-0057-2018. PMID: 30900543.
- Wang, S.-H & Weibang, Sun & Cheng, X. & Yang, Y.-M. (2008). Reproductive characteristics of Tithonia diversifolia and its geographical spread in Yunnan Province of South-West China. Shengtai Xuebao/ Acta Ecologica Sinica. 28. 1307-1313.
- Woo SH, Lee SM, Park KC, Park GN, Cho B, Kim I, Kim J, Hong S. Effects of Fine Particulate Matter on *Pseudomonas aeruginosa* Adhesion and Biofilm Formation *In Vitro*. Biomed Res Int. 2018
 Jul 4;2018:6287932. doi: 10.1155/2018/6287932. PMID: 30069474; PMCID: PMC6057421.
- Yadav, Mukesh Kumar; Go, Yoon Young; Chae, Sung-Won; Song, Jae-Jun; Beall, Bernard (2015). The Small Molecule DAM Inhibitor, Pyrimidinedione, Disrupts Streptococcus pneumoniae Biofilm Growth In
 Vitro. PLOS ONE, 10(10), e0139238–. doi:10.1371/journal.pone.0139238
- Yadav, Mukesh Kumar; Mailar, Karabasappa; Nagarajappa Masagalli, Jagadeesh; Chae, Sung-Won; Song, Jae-Jun; Choi, Won Jun (2019). Ruthenium Chloride—Induced Oxidative Cyclization of Trans-Resveratrol to (±)-ε-Viniferin and Antimicrobial and Antibiofilm Activity Against

Streptococcus pneumoniae. Frontiers in Pharmacology, 10(), 890–. doi:10.3389/fphar.2019.00890

- Yadav MK, Go YY, Chae SW, Park MK, Song JJ. Asian Sand Dust Particles Increased Pneumococcal Biofilm Formation *in vitro* and Colonization in Human Middle Ear Epithelial Cells and Rat Middle Ear Mucosa. Front Genet. 2020 Apr 24;11:323. DOI: 10.3389/fgene.2020.00323.
 PMID: 32391052; PMCID: PMC7193691.
- Yadav MK, Go YY, Jun I, Chae SW, Song JJ. Urban Particles Elevated Streptococcus pneumoniae Biofilms, Colonization of the Human Middle Ear Epithelial Cells, Mouse Nasopharynx and Transit to the Middle Ear and Lungs. Sci Rep. 2020 Apr 6;10(1):5969. DOI: 10.1038/s41598-020-62846-7. PMID: 32249803; PMCID: PMC7136263.
- Yang Q, Tang L, Shen M, Wang Y, Wei Y, Jeyalatha V, Chen P, Dong F, Wang G, Wu S, Liu Z, Li
 C. Effects of diesel exhaust particles on the condition of mouse ocular surface. Ecotoxicol
 Environ Saf. 2018 Nov 15;163:585-593. DOI: 10.1016/j.ecoenv.2018.07.101. Epub 2018 Aug
 1. PMID: 30077156.

NAME OF CANDIDATE:RUTH ZOMUANSANGIDEGREE:MASTER OF PHILOSOPHY

DEPARTMENT: BIOTECHNOLOGY

TITLE OF DISSERTATION: Effects of diesel exhaust particles on *in vitro* bacteria biofilms growth and evaluation of anti-biofilm/antimicrobial potential of a few selected plant extract

DATE OF PAYMENT OF ADMISSION: 06/08/2019

COMMENCEMENT OF SECOND SEM/DISSERTATION : (From conclusion od end semester exam)

APPROVAL OF RESEARCH PROPOSAL

BOS: 29/05/2020		
SCHOOL BOARD: 1	2/08/2020	
REGISTRATION NO. &	DATE :	Regn. No.: MZU/M.Phil. /628 of12.06.2020
DUE DATE OF SUBMISS	SION :	
EXTENSION (IF ANY)	:	

Head Department of Biotechnology

BIODATA

Name and Designation: Contact Details: Ruth Zomuansangi M-100, Mission Vengthlang, Aizawl, Mizoram-796005 Mail: zomuaniruth@gmail.com

Education Qualifications:

SI.	QUALIFICATION	SUBJECT	BOARD/	PERCENTAGE
No.			UNIVERSITY	
1	Master of Science	Biotechnology	Banasthali Board	7.58 CGPA
2	Bachelor of Science	Biotechnology	Banasthali Board	62.17%
3	HSSLC	Physics, Chemistry, Biology, Mathematics, Computer Programming, Hindi, English	Banasthali Board	60.77%
4	HSLC	Hindi, English, Sanskrit, Social Science, General Science, Mathematics, Education for Home, Aesthetic Education	Banasthali Board	55.25%

Present Position

Pursuing the degree of Master of Philosophy (M.Phil.) in Biotechnology with entitled "Effects of diesel exhaust particles on *in vitro* bacteria biofilms growth and evaluation of antibiofilm/antimicrobial potential of a few selected plant extract" under the supervision of Dr. H. Lalhruaitluanga and Co-supervision of Dr. Mukesh Kumar Yadav in the Department of Biotechnology, Mizoram University.

Publications:01

• Zothanpuia, Zomuansangi R, Leo VV, Passari AK, Yadav MK, Singh BP. Antimicrobial sensitivity profiling of bacterial communities recovered from effluents of the municipal solid waste dumping site. 3 Biotech. 2021 Feb;11(2):37. DOI: 10.1007/s13205-020-02548-z. Epub 2021 Jan 8. PMID: 33479592; PMCID: PMC7794261.

Webinars and Training Attended

- Participated in the 3 days training of **"How to operate the HPLC"** by waters company which was held in July 2019.
- Participated in the webinar "National Institute of Food Technology Entrepreneurship and Management" held by the Department of Agriculture and Environmental Sciences, Sonepat, Haryana, India.
- Presented a paper entitled "Effects of Diesel exhaust particles on Streptococcus pneumoniae in vitro biofilms" in the three days International Webinar organized by the Department of Biotechnology, Pachhunga University College (PUC), and Mizoram University (MZU) from 24th-26th June 2020.
- Participated in a program organized by Dept. of Biotechnology, Mizoram University and Dept. of Horticulture, Aromatic & Medicinal Plant (HAMP), Mizoram University.

Co-organized and funded by the Indian Council of Agricultural Research – National Bureau of Agriculturally Important Microorganisms (ICAR-NBAIM), Mau, Uttar Pradesh.

DECLARATION

I hereby declared that all the information mentioned above is true to my knowledge and belief. I will solely be responsible if any of the information is found to be incorrect.

Place: Aizawl, Mizoram Date: **RUTH ZOMUANSANGI**

ABSTRACT

EFFECTS OF DIESEL EXHAUST PARTICLES ON *in vitro* BACTERIA BIOFILMS GROWTH AND EVALUATION OF ANTI-BIOFILM/ANTIMICROBIAL POTENTIAL OF A FEW SELECTED PLANT EXTRACT

A DISSERTATION SUBMITTED IN PARTIAL FULFILLMENT OF THE REQUIREMENTS FOR THE DEGREE OF MASTER OF PHILOSOPHY

RUTH ZOMUANSANGI MZU Regn. No.: 1900192 M.Phil. Regn. No.: MZU/M.Phil. /628 of12.06.2020



DEPARTMENT OF BIOTECHNOLOGY

SCHOOL OF LIFE SCIENCE

DECEMBER 2021

BACKGROUND AND AIM

Microbes exist in adherent and free-floating forms. The adherent communities of microbes surrounded by an extracellular matrix are called Biofilms. The bacteria biofilms are responsible for various infections in humans and increase disease management costs and hospital stay time. The bacteria biofilms are tolerant to antibiotics and the emergence of antibiotic-resistant bacteria further complicates the disease management. The particulate matter (PM) present in air pollution is known to cause and aggravate respiratory infection, and a recent study reported that PM exposure increases bacterial biofilm mode of growth. Therefore, to manage respiratory infection there is a need for unique bioactive compounds with antimicrobial/antibiofilm and anti-inflammatory/antioxidant activities. Mizoram, northeast India, near the Indo-Burma border (22° 40' N; 93 ° 0 3' E) is one of the hot mega diversity zones that habitats many medicinal plants traditionally used by the local people as medicine. Medicinal plants with bioactive compounds such as (stilbenes) are a potential source of antibiofilm/antimicrobial and antioxidant & COX-2 inhibitory compounds that could be explored to control bacterial infection and PM toxicity (Vestergaard et al., 2019).

Tithonia diversifolia is one of the utmost significant medicinal plants of the Asteraceae family which is widely in use in the Ayurvedic and Unani systems. The plant parts such as its roots, shoots, leaves are used in various diseases. It is also known as the Mexican sunflower, a shrub-like perennial (Ajao & Moteetee, 2017). The research of *T. diversifolia* by Pharmacological indicates its many active constituents like antimicrobial, anti-inflammatory (Owoyele et al., 2003, D.A. Chagas-Paula et al. 2011) anti-fungal, anti-malarial (Goffin et al., 2001, Madureira, 2002), and cancer chemopreventive activities (Bork PM et., al 1996).

The previous studies reported that medicinal plants such as stilbenes possess dual activities, such as antibiofilm/antimicrobial potential along with antioxidant & antiinflammatory activity (Vestergaard et al., 2019; Yadav et al., 2019).

Particulate matter such as diesel exhaust particles (DEP) and *S. pneumoniae* are some of the risk factors for respiratory infection, and how DEP exposure affects pneumococcal colonization/biofilms in the nasopharynx is not well known and studied. So, in the study, we elucidated the effect of DEP on *pneumococci in vitro* growth of biofilms and evaluated the effects of *Tithonia diversifolia* plant extract to control *S. pneumoniae* growth (both in planktonic and in biofilms).

MATERIALS AND METHODS

Streptococcus pneumoniae D39 strain used in this study was purchased from Microbial type culture collection (MTCC), Chandigarh, India. *S. pneumonia* strain D39 is an Avery strain, serotype 2, and is well known for its invasive property (Avery et al. 1944). The whole-genome sequence of the D39 strain is available on NCBI and is a well-known strain used for research purposes.

S. pneumoniae was grown in brain heart infusion (BHI) broth, and for longer use and storage glycerol stocks of bacteria were prepared and maintained at -80° C until use. For growing the bacteria colonies blood agar plate (BAP) which is supplemented with 5% of sheep blood was used. The DEP used for this study was purchased from the National Institute of Standard and Technology (NIST), the USA as previously reported (Song et al.,2008; Yadav et al 2020).

Tithonia diversifolia plant was collected from the roadside towards Mizoram University campus, Tanhril, Mizoram. The plant leaves were collected and dried in a hot air oven at 37°C and ground into a fine powder using a domestic mixer grinder. The powder obtained was then weighed and the extract was prepared by soaking it in methanol for 48 hours. The plant extract was prepared according to the protocol reported previously by Singh et al., (2016). The plant extract after methanol treatment was filtered through a Whatman no. 1 filter paper. The filtration process was repeated three times followed by the evaporation to dry at 40°C with the help of the rotary evaporator (BUCHI, Switzerland) that resulted in the crude plant extract. The extracts were then kept at 4°C until further use (Singh et al., 2016).

To evaluate the effects of DEP on pneumococci growth planktonically, the D39 strain of S. pneumoniae was grown in a broth medium supplied with different concentrations of DEP 50 μ g, 100 μ g, and 200 μ g. The growth of the bacteria was detected by measuring its optical density at 600nm (OD₆₀₀) at different periods by the procedure previously reported (Yadav et al.,2020). The planktonic growth experiment was repeated 3 times in replicates. The statistical significance was calculated with help of excel using the student's t-test, and *p-value less than 0.05 were considered significant.

In vitro bacteria, biofilm formation in the presence of DEP was studied using a static microtiter plate assay (Christensen et al. 2000, Yadav et al., 2015) with different concentrations of DEP from 50µg, 100µg, and 200µg. *S. pneumoniae* colony grown on BPA was then grown in BHI broth up till log-phase. The bacteria cell suspension was prepared by diluting cells 1:200 and

bacteria suspension was inoculated in 24-well (1 ml) plates and 200ul in 96-well plate. The plate was incubated for 18 hours at 37°C. After the incubation period, the suspended medium was removed by slowly pipetting out, and biofilms at the bottom of the plate were washed twice with distilled water and stained with 0.1% crystal violet (CV) solution for 15 min. The stained biofilms were again washed with phosphate buffer saline (PBS) twice and dissolved in 1 ml (24-well plate and 200ul for 96-well plate) of ethanol. The absorbance of the biofilm was measured at 570nm using a spectrophotometer (Multiskan Skyhigh Microplate Spectrophotometer, Thermo Fisher Scientific). The biofilm growth experiment was repeated two times and the experiment was performed in triplicates. The statistical significance of the results was calculated using the student's t-test, by considering *p-value less than 0.05 as significant.

For viable bacteria detection within the biofilms, after washing the biofilms with PBS, it was dissolved in sterile water followed by sonication for 10 seconds to dissolve biofilms. The diluted biofilm suspension was serially diluted and spread on BAP to count the colonies. The colony counting units (CFU) of the biofilms were detected by colony formed counting after 24 hours incubation at 37°C (Yadav et al.,2019).

RESULTS

On growing *Streptococcus pneumonia* D39 strain planktonically in BHI medium treating with DEP at a different concentration from 50µg, 100µg, and 200µg, vehicle control was also taken where there is no treatment of the DEP. The optical density was measured at a different time interval at 600nm by a spectrophotometer. The observed results show that the samples where it was treated with DEP show a significant elevation of the bacterial growth is contrary to the vehicle control planktonically.

A similar study was performed where the bacteria *Streptococcus pneumonia* D39 strain was grown in BHI medium treating with DEP at a different concentration from $50\mu g$, $100\mu g$, and $200\mu g$ in a cell culture plate, and development of the biofilm was observed. The biofilm was visible after staining it with the crystal violet solution and the optical density was detected at 570nm. It was observed that after 18 hours of incubation, the samples where it was treated with DEP show an elevation of the growth of the bacteria contrary to the vehicle control. The

CFU count was also performed where greater numbers of the bacteria colony were found in higher the concentration of the treatment of DEP.

The BHI medium was then treated with a chelating agent Chelex-100 to produce a metal ionfree BHI medium then this metal-free ion medium was used for the study for both bacteria planktonic growth and biofilm formation. The metal ion-free media was used to grow the bacteria planktonically and as well as in biofilm growth and it was treated with different concentrations of DEP from $50\mu g$, $100\mu g$, and $200\mu g$ taking along the vehicle control with no treatment of the DEP. It was observed that in bacteria planktonic growth the incubation takes up to 48 hours and the sample treated with DEP shows a significant elevation of the growth of the bacteria planktonically whereas, in the biofilm growth it also shows a significant elevation of the growth of the bacteria in contrary to the vehicle control.

A minimum inhibitory concentration (MIC) detection of the plant extract *Tithonia diversifolia* was performed by treating the *S. pneumoniae* with different concentrations of plant extracts ranging from 2.5µg, 5µg, 10µg, and 20µg taking DMSO as the vehicle control and was incubated for 24hours. The optical density was measured at 600nm and the result suggests that the MIC of *Tithonia diversifolia* plant extract against *Streptococcus pneumoniae* D39 strain serotype 2 is 5µg.

The plant extract *Tithonia diversifolia* was then used to treat the bacteria *S. pneumonia* at different concentrations of $5\mu g$, $10\mu g$, and $20\mu g$ planktonically, taking DMSO as the vehicle control. After incubating for 18hours the optical density was measured at 600nm and it was observed that the growth of bacteria declines for the 6 hours of incubation whereas, on the other hand, the controlled growth of the bacteria was inclining.

The study was also performed for the bacteria biofilm growth where the bacteria *S*. *pneumonia* was treated with different concentrations of the plant extract $5\mu g$, $10\mu g$, and $20\mu g$, taking DMSO as the vehicle control. The optical density was measured at 570nm and the observation suggests that the growth of bacteria on treating with the plant extract has declined or nullified the growth of the bacteria whereas, the growth of the bacteria in control was inclined.

A crystal violet absorption assay was carried to elucidate the mechanism of antimicrobial activity of the plant extract. S. *pneumoniae* was grown till the log-phase and was treated with

DMSO (as vehicle control), Penicillin (taken as a negative control as penicillin do not affect the bacteria cell membrane), and with the plant extract at 10 μ g concentration. The CV assay showed that the control samples absorption approx. 20% CV, and penicillin treated bacteria also demonstrated approx. 25% of CV absorption. While plant extract treated bacteria showed approx. 80% CV absorption as shown in the graph plotted in figure 9. It implies that the bacteria cell membrane was compromised or disrupted by plant extract treatment.

DISCUSSION

Streptococcus pneumonia is a gram-positive, opportunistic pathogen and a very common bacteria that colonize the nasopharynx and these colonizing pneumococci form a biofilm community into the nasopharynx. These biofilms are particularly resistant to antimicrobial agents (Chao et al.2018). Biofilm formation is the essential step in pathogenesis as the biofilm is responsible for bacterial competence, persistence, a reservoir for invasive disease, and immune evasion (Reddinger et al. 2018). The toxic particulate matter (PM) deposits into the respiratory tract during the gaseous exchange and increases the chance of having an infection and disease (Yadav et al.2020). But it is still not well known the mechanisms how the particulate matter took its role in promoting infectious disease and invading human defense. In this study, we reported the effects of DEP particulate matter on S. pneumoniae Planktonic and Biofilm Growth. DEP causes adverse health diseases and infections that involve reactive oxygen species generation and, inflammation, and oxidative stress which can lead to DNA damage (Li et al.2015). The results of planktonic growth with different concentrations of DEP revealed elevated bacterial growth. The low growth of bacteria initially indicates that bacteria were adapting to growth in the presence of DEP, and it grows maximum at 10-12 hours of incubation. However, low growth in control (absence of DEP) indicates that DEP presence or constituents of DEP contribute to bacteria growth. Similarly elevated growth of S. pneumoniae was previously detected in presence of the Urban Particles (UP), and Asian Sand Dust (ASD) (Yadav et al.,2020a; Yadav et al.,2020b). The presence of black carbon also affects the physiology of bacteria and demonstrated enhanced growth (Hussey et al., 2017). Increased growth of biofilm in the presence of DEP could be due to the presence of particulate matter as the bacteria cling onto the bottom of the tissue culture plate increased. Probably the bacteria prefer to adhere and form robust biofilm on a rough surface, and the PM here acts as a substrate for the bacteria attachment and biofilm formation. Similar high biofilms were detected in the

presence of UP by Yadav et al 2020a. They demonstrate that the bacteria physiology may be altered in the presence of urban particles, the constituents of UP favor in *vitro* biofilm growth (Yadav et al.,2020a). DEP can change the cell stiffness and adhesion force and could also decrease the protein and the DNA of the mammalian cell by the study reported by Q. Li et al.2015. In this study to better understand the S. pneumoniae growth alteration by the DEP, the BHI media was treated with the Chelex100 to chelate all the metal ions present in the BHI media and a metal ion-free media was prepared. The planktonic growth of the bacteria treated with the different concentrations of DEP in the metal ion-free media showed that the growth of bacteria was much slower than the bacteria grown in the normal BHI media. The bacteria in presence of DEP were elevated from 12hrs of incubation and the vehicle control growth was linear and negligible. Whereas in the biofilm growth the bacteria on treating with different concentrations of DEP was significantly higher than the vehicle control. The results of this study give us insight into the effect of the DEP which can be causing adverse health diseases and infection mainly in the respiratory tract. High doses of DEP in many studies of in vitro fall inside the range of realistic exposure to air pollutant particulate matter at the flashpoints that may occur in the pulmonary interstitium of the exposed lung (Lawal 2017). Altogether, the elevated growth of pneumococci in both planktonic and biofilms indicates that DEP provides es favorable environment for bacteria growth and provides a suitable surface for biofilm formation. Similar results were reported by our group with urban particles and Asian sand dust particles (Yadav et al., 2020a; Yadav et al 2020b). Furthermore, the elevated growth in metal ion-free medium indicates that the DEP constituents specifically metal ions contribute to biofilm formation. It is reported that metal iron particularly iron is very important for pneumococci growth, virulence, and biofilm formation (Trappetti et al., 2011). And the previous study demonstrated that in absence of iron pneumococci biofilms were low. Particulate matter contains irons as one of the metal constituents that can be utilized by pneumococci for its growth and biofilm formation (Yadav et al., 2020a; Yadav et al 2020b; Hussy et al., 2018)

The formation of biofilm in the nasopharynx is crucial for infection establishment, therefore a dual activity compound that can inhibit bacteria growth/biofilms and having anti-inflammatory activity could be more effective to combat respiratory infections. Here we evaluated the antimicrobial/antibiofilm potential of the plant *Tithonia diversifolia* as it has been reported that the plant is having anti-inflammatory (Paula et al.2011) antimicrobial, anti-fungal, anti-malarial (Madureira, 2002), and cancer chemopreventive activities (Bork PM et., al 1996). The

S. pneumoniae was treated with the methanolic plant extract of *T. diversifolia* and the growth under planktonic and biofilm growth were evaluated. Results indicate that *S. pneumoniae* growth was declining in the samples grown with plant extract. The antimicrobial effects of plant extract were concentration-dependent. Similarly, the in vitro biofilms of pneumococci were also decreased in samples treated with plant extract. The CFU counts decreased in pre-established biofilm on plant extract treatment indicates that plant extract diffused deep inside the biofilms and able to kill bacteria inside biofilms. It is reported that the matrix of biofilms prevents the diffusion of antimicrobial agents due to its polar nature, and the phenolic plant metabolites can overcome this barrier and kill bacteria (Roy et al.,2018). The crystal violet absorption assay was also followed by the method provided by Yadav et al.2019 to clarify the mechanism of the antimicrobial activity of the plant extract and, the results show that the crystal violet was absorbed the most in the treatment with the plant extract implying that the bacteria cell membrane was compromised or disrupted by plant extract treatment.

CONCLUSION

The results of this study showed that DEP exposure increased the *S. pneumonia* growth both in planktonic and in biofilm. And the elevated Pneumococcal biofilms in metal ion-free medium indicate that bacteria utilize DEP components for their growth, and DEP provides a favorable surface for biofilm growth. The inhibition of *S. pneumonia growth* on *Tithonia diversifolia extract treatment showed* the antimicrobial property of the plant extract. The eradication of pre-established biofilms on plant extract treatment indicates that *Tithonia diversifolia extract* can penetrate deep inside the biofilms across the matrix and kill bacteria. The increased absorption of crystal violet in *Tithonia diversifolia* extract-treated pneumococci showed that the target of action of plant extract is the cell membrane, which disrupted plant extract treatment.

REFERENCES

A.A. Ajao, A.N. Moteetee, Tithonia diversifolia (Hemsl) A. Gray. (Asteraceae: Heliantheae), an invasive plant of significant ethnopharmacological importance: A review, South African Journal of Botany, Volume 113, 2017, Pages 396-403, ISSN 0254-6299, https://doi.org/10.1016/j.sajb.2017.09.017.

(https://www.sciencedirect.com/science/article/pii/S0254629917307196).

- Avery OT, Macleod CM, McCarty M. Studies On The Chemical Nature Of The Substance Inducing Transformation Of Pneumococcal Types: Induction Of Transformation By A Desoxyribonucleic Acid Fraction Isolated From Pneumococcus TYPE III. J Exp Med. 1944 Feb 1;79(2):137-58. doi: 10.1084/jem.79.2.137. PMID: 19871359; PMCID: PMC2135445.
- Bork PM, Schmitz ML, Weimann C, Kist M, Heinrich M. Nahua indian medicinal plants (Mexico): Inhibitory activity on NF-κB as an anti-inflammatory model and antibacterial effects. Phytomedicine. 1996 Nov;3(3):263-9. doi: 10.1016/S0944-7113(96)80064-X. PMID: 23195081.
- Chagas-Paula, D.A., Oliveira, R.B., Rocha, B.A., Da Costa, F.B., 2012. Ethnobotany, chemistry, and biological activities of the genus Tithonia (Asteraceae). Chemistry & Biodiversity 9, 210–235.
- Christensen G.D., Simpson W.A., Anglen J.O., Gainor B.J. (2000) Methods for Evaluating Attached Bacteria and Biofilms. In: An Y.H., Friedman R.J. (eds) Handbook of Bacterial Adhesion. Humana Press, Totowa, NJ. <u>https://doi.org/10.1007/978-1-59259-224-1_13</u>

- Maria do Céu de Madureira; Ana Paula Martins; Milene Gomes; Jorge Paiva; António Proença da Cunha; Virgílio do Rosário (2002). Antimalarial activity of medicinal plants used in traditional medicine in S. Tomé and Príncipe islands., 81(1), 0–29. doi:10.1016/s0378-8741(02)00005-3
- Goffin E, Ziemons E, De Mol P, de Madureira Mdo C, Martins AP, da Cunha AP, Philippe G, Tits M,
 Angenot L, Frederich M. In vitro antiplasmodial activity of Tithonia diversifolia and
 identification of its main active constituent: tagitinin C. Planta Med. 2002 Jun;68(6):543-5. doi:
 10.1055/s-2002-32552. PMID: 12094301.
- Owoyele, Bamidele & Okoye, O & Dolor, R & Oloruntola, Philip & Soladoye, Ayodele. (2011). Analgesic, anti-inflammatory and antipyretic effects of the ethanol extract of Acalypha wilkesiana leaves in rats. Nigerian journal of physiological sciences : official publication of the Physiological Society of Nigeria. 26. 77-82.
- Singh R, Sahore S, Kaur P, Rani A, Ray P. Penetration barrier contributes to bacterial biofilmassociated resistance against only select antibiotics, and exhibits genus-, strain- and antibioticspecific differences. 2016 Aug;74(6):ftw056. doi: 10.1093/femspd/ftw056. Epub 2016 Jul 7. PMID: 27402781
- Song JH, Oh WS, Kang CI, Chung DR, Peck KR, Ko KS, Yeom JS, Kim CK, Kim SW, Chang HH, Kim YS, Jung SI, Tong Z, Wang Q, Huang SG, Liu JW, Lalitha MK, Tan BH, Van PH, Carlos CC, So T; Asian Network for Surveillance of Resistant Pathogens Study Group. Epidemiology and clinical outcomes of community-acquired pneumonia in adult patients in Asian countries: a prospective study by the Asian network for surveillance of resistant pathogens. Int J

Antimicrob Agents. 2008 Feb;31(2):107-14. doi: 10.1016/j.ijantimicag.2007.09.014. Epub 2007 Dec 26. PMID: 18162378; PMCID: PMC7134693.

- Vestergaard M, Frees D, Ingmer H. Antibiotic Resistance and the MRSA Problem. Microbiol Spectr. 2019 Mar;7(2). doi: 10.1128/microbiolspec.GPP3-0057-2018. PMID: 30900543.
- Yadav, Mukesh Kumar; Go, Yoon Young; Chae, Sung-Won; Song, Jae-Jun; Beall, Bernard (2015).
 The Small Molecule DAM Inhibitor, Pyrimidinedione, Disrupts Streptococcus pneumoniae
 Biofilm Growth In Vitro. PLOS ONE, 10(10), e0139238–.
 doi:10.1371/journal.pone.0139238
- Yadav, Mukesh Kumar; Mailar, Karabasappa; Nagarajappa Masagalli, Jagadeesh; Chae, Sung-Won;
 Song, Jae-Jun; Choi, Won Jun (2019). Ruthenium Chloride—Induced Oxidative Cyclization
 of Trans-Resveratrol to (±)-ε-Viniferin and Antimicrobial and Antibiofilm Activity Against
 Streptococcus pneumoniae. Frontiers in Pharmacology, 10(), 890–.
 doi:10.3389/fphar.2019.00890
- Yadav MK, Go YY, Chae SW, Park MK, Song JJ. Asian Sand Dust Particles Increased Pneumococcal Biofilm Formation *in vitro* and Colonization in Human Middle Ear Epithelial Cells and Rat Middle Ear Mucosa. Front Genet. 2020 Apr 24;11:323. DOI: 10.3389/fgene.2020.00323.
 PMID: 32391052; PMCID: PMC7193691.
- Yadav MK, Go YY, Jun I, Chae SW, Song JJ. Urban Particles Elevated Streptococcus pneumoniae Biofilms, Colonization of the Human Middle Ear Epithelial Cells, Mouse Nasopharynx and Transit to the Middle Ear and Lungs. Sci Rep. 2020 Apr 6;10(1):5969. DOI: 10.1038/s41598-020-62846-7. PMID: 32249803; PMCID: PMC7136263